



WESTFALL ISUZU TRUCK

James "Jim" Shull | 816-459-3108 | jshull@westfallgmc.com

SkyMark NPR HD 14500 GVWR Diesel 132" WB



Prepared for Jose Molina at SkyMark

Current report content is based on data as of 2018-02-01 12:16:18. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



WESTFALL ISUZU TRUCK

James "Jim" Shull | 816-459-3108 | jshull@westfallgmc.com

SkyMark NPR HD 14500 GVWR Diesel 132" WB (2017 NPR-HD Cab Chassis, NF2 132.5", 14,500 GVWR. White, In rail fuel tank with power windows, power door locks and air conditioning)

Quote Worksheet

	MSRP
Base Price	\$51,920.00
Destination Charge	\$1,125.00
DEF Fill Charge	\$10.00
Total Options	\$1,272.00
Subtotal	\$54,327.00
Subtotal Additional Equipment	\$0.00
Subtotal Miscellaneous Equipment	\$0.00
Pre-Tax Subtotal	\$54,327.00
Less Customer Discount	(\$-14,740.00)
Subtotal Discount	(\$-14,740.00)
Taxable Price	\$39,587.00
Sales Tax	0% \$0.00
Subtotal Taxes	\$0.00
Subtotal Post-Tax Adjustments	\$0.00
Less Post-tax Customer Discount	\$0.00
Subtotal Discount	\$0.00
Total Sales Price	\$39,587.00

Dealer Signature/Date

Customer Signature/Date

Current report content is based on data as of 2018-02-01 12:16:18. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



WESTFALL ISUZU TRUCK

James "Jim" Shull | 816-459-3108 | jshull@westfallgmc.com

SkyMark NPR HD 14500 GVWR Diesel 132" WB (2017 NPR-HD Cab Chassis, NF2 132.5", 14,500 GVWR. White, In rail fuel tank with power windows, power door locks and air conditioning)

Selected Model and Options

	Code	Description	Weight	MSRP
Model				
	NF2	NPR-HD Cab Chassis 132.5		\$51,920.00
	54	White, In rail fuel tank with power windows, power door locks and air conditioning		\$1,272.00
Tires				
	I5H	LRR (low rolling resistance)	0.0 lbs.	Inc.
Engine				
	I1B	4HK1-TC, diesel engine 317 CID (5.19L), 215 HP at 2550 RPM: 452 ft.-lb. gross torque at 1850 RPM. 4 cylinder, 16 valve, four cycle, overhead cam, turbocharged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system, engine cruise control function. Oil level check switch and light. Engine Warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level.	0.0 lbs.	Inc.
Transmission				
	IX0	Aisin A460, 6-speed automatic transmission, Ratios 3.742, 2.003, 1.343, 1.00,0.773,0.634, Rev 3.539	0.0 lbs.	Inc.
Wheelbase				
	IA9	132.5 inches, includes ladder type channel frame. Full C section straight frame 33.5 inches wide. Yield strength 44,000 psi; section modulus 7.20 in3 RBM 316,800 lb./ft./in. per rail.	0.0 lbs.	Inc.
Air Cleaner				
	KNX	Dry Paper single element. (Donaldson brand) Air cleaner canister standard with air restriction indicator in the driver's Multi-Information Display (MID).	0.0 lbs.	Inc.
Alternator				
	I2C	140 AMP. with integral regulator.	0.0 lbs.	Inc.
Battery				
	IX1	Dual 12-Volt maintenance free group 31 750 CCA batteries with threaded posts	0.0 lbs.	Inc.
Exhaust				
	IX7	Single horizontal with DPF/SCR exhaust system	0.0 lbs.	Inc.
Front Axle				
	ID2	"I"-beam rated at 6,830 lbs. Includes integral hydraulic power steering. Ratio 18.8-20.9:1.	0.0 lbs.	Inc.
Front Suspension				
	ID4	6,830 lb. capacity. Semi-elliptical tapered leaf springs. Includes shock absorbers and stabilizer bar.	0.0 lbs.	Inc.
Front Wheels				
	RBY	16" X 6", 6-hole disc, painted white.	0.0 lbs.	Inc.

Current report content is based on data as of 2018-02-01 12:16:18. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



WESTFALL ISUZU TRUCK

James "Jim" Shull | 816-459-3108 | jshull@westfallgmc.com

SkyMark NPR HD 14500 GVWR Diesel 132" WB (2017 NPR-HD Cab Chassis, NF2 132.5", 14,500 GVWR. White, In rail fuel tank with power windows, power door locks and air conditioning)

Selected Model and Options

Code	Description	Weight	MSRP
Front Tires			
I53169	215/85R16E (10 ply) tubeless Radial, all season tread.	0.0 lbs.	Inc.
Rear Suspension			
I27	9,880 lbs. capacity. Semi-elliptical main and auxiliary multi-leaf springs. Includes shock absorbers	0.0 lbs.	Inc.
Rear Axle			
I36	R040, single-speed, 11,020 lb. capacity with oil lubricated rear wheel bearings.	0.0 lbs.	Inc.
Ratio			
005	4.56:1	0.0 lbs.	Inc.
Rear Wheels			
RBZ	16" X 6", 6-hole disc, painted white.	0.0 lbs.	Inc.
Rear Tires			
I53134	215/85R16E (10 ply) tubeless Radial, all season tread.	0.0 lbs.	Inc.
Fuel Tank			
IF9	30 gal. rectangular fuel tank. Mounted between frame rail through the rail fuel fill. Fuel water separator with dash mounted warning light.	0.0 lbs.	Inc.
Seat			
AQB	Driver seat is reclining high back. Two single occupant fold down seats with tray backs.	0.0 lbs.	Inc.
Brakes			
K40	Butterfly valve type exhaust brake	0.0 lbs.	Inc.
IR8	Dual circuit, vacuum assisted hydraulic with EBD (Electronic Brake Distribution). Disc front and self-adjust outboard mounted drum rear. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard. 4 channel anti-lock brake system.	0.0 lbs.	Inc.
Power Windows & Door Locks			
IL0	Yes	0.0 lbs.	Inc.
Radio			
IL7	AM / FM / CD Stereo Radio	0.0 lbs.	Inc.
Floor Mats			
IQ6	Standard Floor Mats	0.0 lbs.	Inc.
Totals			
	Base Price		\$51,920.00
	Destination Charge		\$1,125.00
	DEF Fill Charge		\$10.00
	Total Options Price		\$1,272.00

Current report content is based on data as of 2018-02-01 12:16:18. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



WESTFALL ISUZU TRUCK

James "Jim" Shull | 816-459-3108 | jshull@westfallgmc.com

SkyMark NPR HD 14500 GVWR Diesel 132" WB (2017 NPR-HD Cab Chassis, NF2 132.5", 14,500 GVWR. White, In rail fuel tank with power windows, power door locks and air conditioning)

Selected Model and Options

Code	Description	Weight	MSRP
	Tire Weight Tax		\$0.00
	Total		\$54,327.00

Current report content is based on data as of 2018-02-01 12:16:18. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.




WESTFALL ISUZU TRUCK

James "Jim" Shull | 816-459-3108 | jshull@westfallgmc.com

SkyMark NPR HD 14500 GVWR Diesel 132" WB (2017 NPR-HD Cab Chassis, NF2 132.5", 14,500 GVWR. White, In rail fuel tank with power windows, power door locks and air conditioning)

Weight Distribution



Front %	Front Wt.	Rear %	Rear Wt.
68%	4,429.00 lbs.	32%	2,054.00 lbs.

GVWR	GVW	Remaining Payload Weight
14,500.00 lbs.	6,483.00 lbs.	8,017.00 lbs.

Driver/Passenger Weight	350.0 lbs.
Wheelbase (WB)	132.5 inches
Cab to Axle(CA)	110 inches
Body Length	
Body Weight	
Cab to Body (BOC)	6.1 inches

**** You must fill in body length and weight to enable body and payload weight calculations.**

Weight (lbs.)	Front	Rear	Total
Chassis	3,999.00	2,054.00	6,053.00
Chassis Equipment	80.00	0.00	80.00
Subtotal	4,079.00	2,054.00	6,133.00
Driver/Passengers	350.00	0.00	350.00
Body/Body Equipment	0.00	0.00	0.00
Payload	0.00	0.00	0.00
Total	4,429.00	2,054.00	6,483.00
GAWR/GVWR	5,360.00	9,880.00	14,500.00
GCWR			20,500.00

Chassis Equipment:

Code	Item	Center of Gravity	Front Axle	Rear Axle	Total
54	White, In rail fuel tank with power windows, power door locks and air conditioning		80.00 lbs.	0.00 lbs.	80.00 lbs.

Driver/Passengers:

	Center of Gravity	Front Axle	Rear Axle	Total
Driver	front axle	350.00 lbs.	0.00 lbs.	350.0 lbs.

Current report content is based on data as of 2018-02-01 12:16:18. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



WESTFALL ISUZU TRUCK

James "Jim" Shull | 816-459-3108 | jshull@westfallgmc.com

SkyMark NPR HD 14500 GVWR Diesel 132" WB (2017 NPR-HD Cab Chassis, NF2 132.5", 14,500 GVWR. White, In rail fuel tank with power windows, power door locks and air conditioning)

Warranty

Coverage	Warranty Limitations (Time or Mileage, Whichever Comes First)		Percent of Dealer's Normal Charge Paid by Owner	
	Time	Vehicle Miles	Parts	Labor
Basic	0-3 Years	Unlimited	No Charge	No Charge
Engine	0-3 Years	Unlimited	No Charge	No Charge
<ul style="list-style-type: none"> • Transmission • Drive Axles • Propeller Shaft • Front Axle I-Beam • Crossmembers • Flywheel Housing • Clutch Housing 	0-3 Years	Unlimited	No Charge	No Charge
Frame Rails	0-3 Years	Unlimited	No Charge	No Charge
Frame Rails	3-5 Years	Unlimited	50%	50%
Engine Emissions Control System	0-5 Years	0-100,000	No Charge	No Charge
California Emissions Performance	0-3 Years	0-50,000	No Charge	No Charge
California Emissions Long-Term Defects	0-7 Years	0-70,000	No Charge	No Charge
Tires	0-2 Years	0-24,000	No Charge	No Charge
Corrosion (Rust Through)	0-4 Years	Unlimited	No Charge	No Charge

Current report content is based on data as of 2018-02-01 12:16:18. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.